



Greenply

Greenply  
PRELAM MDF

Prelam Elegant Range



Greenply  
HAR ZARURAT KA REPLY

THE

ARTS

OF PRECISION

Prelam Elegant Range

*Greenply*

PRELAM MDF

# ABOUT US



Greenply Industries is among India's largest interior infrastructure companies transforming Indian Interiors spaces for more than three decades with comprehensive range of plywood & block boards, MDF, decorative veneers, fashion laminates, doors, PVC and other allied products.

Greenply Prelaminated MDF embodies a refined artistry that goes beyond aesthetics. Crafted with advanced PRODIQ NEO TECH, each panel not only enchants the eye but also boasts exceptional durability and strength, ensuring your interiors stand the test of time.

With a range of thoughtfully curated textures and colors, Greenply's Prelaminated MDF effortlessly enhances any decor, striking the perfect balance between elegance and practicality. This exquisite collection brings a subtle sophistication to your home, making it the perfect choice for those who appreciate a lifestyle enriched by design that elevates everyday living.






# ELEGANT SERIES

Elevate your interiors with the Elegant Series, where sophistication meets resilience. Featuring over 90 curated designs across four distinct categories—Timeless Solids, Wondrous Wood, Sewed Stories, and Muted Marvels—each collection offers a unique touch. Wondrous Wood brings nature's charm with versatile tones, while Timeless Solids celebrate vibrant hues and subtle nuances. Sewed Stories introduces artistry with intricate fabric-inspired patterns, and Muted Marvels creates a serene atmosphere with earthy tones. Blending artistry with precision, this collection transforms spaces into exceptional designs.





300 KLT | BLACK



## GREENPLY KleanTouch

In modern interiors, where design meets daily life, maintaining pristine surfaces can be a real challenge. Greenply's Pre-lam Elegant range with KleanTouch, engineered with advanced polymers, offers smudge-resistant surfaces that stay flawless, even in high-touch areas. Perfect for kitchens, workspaces, and living spaces, it preserves a like-new finish while seamlessly blending functionality with elegance—redefining luxury through lasting refinement.





# SEWED STORIES

---

Drawing inspiration from the timeless art of weaving, our pre-laminated boards bring a sense of royalty and tactile elegance to interiors. With gentle ridges, soft weaves, and intricate patterns, they create a luxurious ambiance that transforms surfaces into statement pieces. Discover how these exquisite designs weave rich narratives, elevating spaces with unmatched style and sophistication.



# SEWED STORIES



5911 | BIMBA BROWN



5910 | BIMBA GREY






# SEWED STORIES



5906 | BUFF MESH



5904 | ASH MESH



5905 | CHOCO MESH








# TIMELESS SOLID


Solids possess a captivating charm, effortlessly bringing life to any space while creating an atmosphere that is both refreshing and inviting. Their remarkable ability to uplift moods and evoke emotions transports you to another realm. Just imagine the impact: a simple splash of color can awaken your surroundings and elevate your spirits! At Greenply, we celebrate this transformative power with our exquisite range of pre-laminated solid-colored boards, available in a stunning spectrum of shades designed to enhance your interiors and reflect your personal style.




# TIMELESS SOLIDS




101 | SUPER WHITE 6FT



102 | EVEREST WHITE 6FT



103 | FROSTY WHITE 6FT




251 | SILVER GREY 6FT




252 | GOTHIC GREY 6FT



253 | SLATE GREY 6FT



121 | IVORY 6FT




125 | IRISH CREAM




130 | PEBBLE BEACH



150 | DARK BROWN



260 | CHARCOAL



300 | BLACK 6FT



# TIMELESS SOLIDS



211 | MARIGOLD YELLOW

6FT



221 | ORANGE



231 | PARROT GREEN

6FT



151 | HUTCH PINK



191 | RED

6FT




281 | ELECTRIC BLUE

6FT






# TIMELESS SOLIDS



282 | CELESTIAL BLUE



201 | BURGUNDY



290 | PERSIAN BLUE



283 | NAVY BLUE




240 | OCEAN GREEN







# PASTELS




289 | SLATE BLUE



405 | WATER GREEN



404 | SUBTLE GREEN




406 | FERN GREEN







# PASTELS



401 | TERRACOTA




403 | CLAY



402 | VOILA







# MUTED MARVELS


The earthy tones and intricate textures of Muted Marvels Prelaminated Range brings a natural elegance to every surface, seamlessly blending into any design style. This collection adds depth and harmony, transforming your spaces into reflections of modern elegance.



# MUTED MARVELS



6000 | CLASSIC MARBLE



6001 | GREY MARBLE



6002 | ROYAL MARBLE





# MUTED MARVELS



6003 | SANDSTONE GREY




6004 | SANDSTONE BEIGE






# DIGITAL



6050 | MOGA BEIGE



6051 | MOGA BLUE



6052 | CHEVRON BLUE



6053 | CHEVRON GREY



6054 | PATTURA BEIGE



6055 | PATTURA BLUE

The images shown are for illustrative purposes only, actual finishes may vary.





# WONDROUS WOOD

There's something undeniably infectious about the warmth of wood. It envelops its surroundings in a rich character that resonates deeply, leaving a memorable impression on all who encounter it. At the heart of our creations lies this enduring essence. Our Pre-laminate boards capture the spirit of 'The Wood,' inviting you to experience a touch of nature that rekindles the plush and pristine sensations associated with natural wood.



# WONDROUS WOOD



5419 | TUNDRA OAK



5418 | SIBERIAN OAK



5420 | DINGO OAK





# WONDROUS WOOD



5412 | MARINA BAY OAK

6FT



5424 | AMALFI OAK DARK



5423 | AMALFI OAK LIGHT





# WONDROUS WOOD



5201 | ELEGANT TEAK

6FT



5202 | TEAK GOLD



5616 | CLIFTON WALNUT LIGHT

6FT



5617 | CLIFTON WALNUT DARK

6FT





# WONDROUS WOOD



5614 | LYONS WALNUT



5613 | GRENOBLE WALNUT



5615 | EXOTIC WALNUT



5060 | HASTINGS WOOD



5206 | FLAGSTAFF OAK DARK



5205 | FLAGSTAFF OAK LIGHT





# WONDROUS WOOD



5601 | PERSIAN WALNUT



5410 | SANTANA OAK LIGHT

6FT



5411 | SANTANA OAK DARK

6FT



5414 | BRENTWOOD OAK



5416 | CATANIA OAK DARK



5415 | CATANIA OAK LIGHT





# WONDROUS WOOD



5152 | INTAL BEECH 6FT



5153 | ICE BEECH



5150 | MANGFALL BEECH 6FT



5102 | ALBERTA MAPLE



5207 | CANYON MONUMENT OAK 6FT



5412 | CASTLE OAK 6FT



5200 | NAYANA TEAK 6FT



5005 | GRENADA PINE 6FT



5035 | SAPELLI 6FT



5030 | MAHOGANY 6FT



5600 | CLASSIC PLANKED WALNUT



5413 | CHOCO OAK 6FT



# WONDROUS WOOD



5000 | HIGHLAND PINE 6FT



5110 | LIGHT MAPLE 6FT



5802 | FIBRE GOLD



5800 | FIBRE TEAK



5801 | FIBRE RUST



5417 | HAVANA OAK



5041 | FLOWER WENGE 6FT



5111 | DARK MAPLE 6FT



5602 | CHOCO WALNUT



5612 | COLUMBIA WALNUT




5610 | LORRAINE WALNUT 6FT




5422 | MARINA BAY OAK DARK 6FT




# FINISHES



SUEDE



MATT



SUPER MATT



EVOK



ALLURE



RAW BARK



# TECHNICAL SPECIFICATIONS

SPECIFICATION FOR PRE LAMINATED MDF BOARD						
Sl.No.	PROPERTIES	UNIT	INTERIOR	EXTERIOR	HDHMR 710	Boil Pro 500
			GRADE II	GRADE I	GRADE I	GRADE I
A	Length tolerance		±3mm/meter	±3mm/meter	±3mm/meter	±3mm/meter
B	Width tolerance		±3mm/meter	±3mm/meter	±3mm/meter	±3mm/meter
C	Thickness tolerance		±0.3mm	±0.3mm	±0.3mm	±0.3mm
D	Squareness		2mm/meter	2mm/meter	2mm/meter	2mm/meter
E	Edge Straightness		2mm/meter	2mm/meter	2mm/meter	2mm/meter
1	Density	Kg/m <sup>3</sup>	650-800	650-800	800-900	≥1000
2	Variation from mean density, Max	%	± 10	± 10	± 10	± 10
3	Moisture content	%	5 to 10	5 to 10	5 to 10	5 to 10
4	Moisture from mean density, Max	%	± 3	± 3	± 3	± 3
5	Water absorption, Max					
	a) After 2hr soaking	%	9	6	5	≤2
	b) After 24hr soaking	%	18	12	10	≤6
6	Thickness swelling, After 2hr soaking, Max,		7	4	4	≤2
7	Modulus of rupture MOR, Min					
	(a) Up to 20mm					
	Average	N/mm <sup>2</sup>	28	28	40	55
	Minimum	N/mm <sup>2</sup>	25	25	35	45
	(b) Above 20 mm					
	Average	N/mm <sup>2</sup>	25	25	35	NA
Minimum	N/mm <sup>2</sup>	22	22	28	NA	
8	Modulus of elasticity MOE, Min					
	(a) Up to 20mm					
	Average	N/mm <sup>2</sup>	2800	2800	3500	5500
	Minimum	N/mm <sup>2</sup>	2500	2500	3000	4500
	(b) Above 20 mm					
	Average	N/mm <sup>2</sup>	2500	2500	3100	NA
Minimum	N/mm <sup>2</sup>	2300	2300	2800	NA	
9	Internal Bond, Min					
	(a) Up to 20mm					
	Average	N/mm <sup>2</sup>	0.8	0.9	1.2	≥2.00
	Minimum	N/mm <sup>2</sup>	0.7	0.8	1.0	NA
	(b) Above 20 mm					
	Average	N/mm <sup>2</sup>	0.7	0.8	1.0	NA
Minimum	N/mm <sup>2</sup>	0.6	0.7	0.8	NA	
10	Internal Bond, Min					
	(a) After cyclic test					
	Average	N/mm <sup>2</sup>	NA	0.45	0.45	>1.0
	Minimum	N/mm <sup>2</sup>	NA	0.40	0.40	>0.40
	(b) After accelerated water resistance test					
	Average	N/mm <sup>2</sup>	0.30	0.30	0.30	>1.0
Minimum	N/mm <sup>2</sup>	0.25	0.25	0.25	>0.40	

SPECIFICATION FOR PRE LAMINATED MDF BOARD						
Sl.No.	PROPERTIES	UNIT	INTERIOR	EXTERIOR	HDHMR 710	Boil Pro 500
			GRADE II	GRADE I	GRADE I	GRADE I
11	Screw withdrawal test, Min					
	Face	N	1500	1500	2000	≥4000
	Edge (for thick >12mm)	N	1250	1250	1800	≥2600
12	Abrasion resistance, Min	Rev				
	Type I		1000	1000	1000	1000
	Type II		450	450	450	450
	Type III		250	250	250	250
	Type IV		75	75	75	75
13	Resistance to steam		No sign of blister, delamination or change in surface finish. There may be slight colour change in dark colours/patterns.			
14	Resistance to crack		No sign of cracks or delamination.			
15	Resistance to stain		No any stain on the specimen after cleaning with water, solvent or detergent.			
16	Resistance to cigarette burn		No mark or stain on the specimen after cleaning with water or solvent			
17	Formaldehyde content Fc, mg/100 gm for oven dry board		For Formaldehyde Class, E1 : Fc ≤ 8 & For Formaldehyde Class, E2 : 8 < Fc ≤ 30			
18	Steady-state Formaldehyde emission, Fc, mg/m <sup>3</sup> (optional requirement)		For Formaldehyde Class, E1 : Fc ≤ 0.124 & For Formaldehyde Class, E2 : Fc > 0.124			

AVAILABLE SIZE			
8ft X 4ft (2440mm X 1220mm)			
8ft X 6ft (2440mm X 1830mm)			
AVAILABLE TYPES			
One-side laminated (OSL)			
Both-side laminated (BSL)			
One-side Bare (OSB)			
Both-side Balancing (BSB)			
STANDARD FINISH			
SUEDE			
MATT			
SUPER MATT			
EVOK			
ALLURE			
RAW BARK			
AVAILABLE THICKNESS			
3mm	5.5mm	7mm	7.5mm
8mm	12mm	15mm	16mm
16.5mm	17mm	18mm	25mm
Application			
Kitchen cupboards & cabinets			
Bathroom cabinets			
Various ready to use partitions			
Modular furniture			
Tv Cabinets			
Wardrobes			
Tabletops			

## CERTIFICATES



### GREENPLY SPECIALITY PANELS PRIVATE LIMITED

(Wholly owned subsidiary of Greenply Industries Limited)


Survey No 17/1, Halol Road, Sherpura,

Savli Vadodara, Gujarat- 391520


Toll free No. 1800-103-4050 | Web. www.greenply.com/mdf



# BALANCING



9995 | WHITE



9993 | FROSTY

# INDEX

SR. NO.	DESIGN NO.	DESIGN NAME	PAGE NO.
1	101	Super White	14
2	102	Everest White	14
3	103	Frosty White	14
4	121	Ivory	14
5	125	Irish Cream	14
6	130	Pebble Beach	14
7	150	Dark Brown	15
8	151	Hutch Pink	16
9	191	Red	16
10	201	Burgundy	19
11	211	Marigold Yellow	16
12	221	Orange	16
13	231	Parrot Green	16
14	240	Ocean Green	19
15	251	Silver Grey	15
16	252	Gothic Grey	15
17	253	Slate Grey	15
18	260	Charcoal	15
19	281	Electric Blue	16
20	282	Celestial Blue	19
21	283	Navy Blue	19
22	289	Slate Blue	20
23	290	Persian Blue	19
24	300	Black	15
25	401	Terracota	22
26	402	Voila	22
27	403	Clay	22
28	404	Subtle Green	20
29	405	Water Green	20
30	406	Fern Green	20
31	5000	Highland Pine	46
32	5005	Grenada Pine	44
33	5030	Mahogany	45
34	5035	Sapelli	44
35	5041	Flower Wenge	46
36	5060	Hastings Wood	40
37	5102	Alberta Maple	45
38	5110	Light Maple	46
39	5111	Dark Maple	46
40	5150	Mangfall Beech	44
41	5152	Intal Beech	44
42	5153	Ice Beech	44
43	5200	Nayana Teak	44
44	5201	Elegant Teak	38
45	5202	Teak Gold	38
46	5205	Flagstaff Oak Light	40

SR. NO.	DESIGN NO.	DESIGN NAME	PAGE NO.
47	5206	Flagstaff Oak Dark	40
48	5207	Canyon Monument Oak	45
49	5410	Santana Oak Light	42
50	5411	Santana Oak Dark	42
51	5412	Castle Oak	45
52	5413	Choco Oak	45
53	5414	Brentwood Oak	42
54	5415	Catania Oak Light	42
55	5416	Catania Oak Dark	42
56	5417	Havana Oak	47
57	5418	Siberian Oak	34
58	5419	Tundra Oak	34
59	5420	Dingo Oak	34
60	5421	Marina Bay Oak	36
61	5422	Marina Bay Oak Dark	47
62	5423	Amalfi Oak Light	36
63	5424	Amalfi Oak Dark	36
64	5600	Classic Planked Walnut	45
65	5601	Persian Walnut	42
66	5602	Choco Walnut	46
67	5610	Lorraine Walnut	47
68	5612	Columbia Walnut	47
69	5613	Grenoble Walnut	40
70	5614	Lyons Walnut	40
71	5615	Exotic Walnut	40
72	5616	Clifton Walnut Light	38
73	5617	Clifton Walnut Dark	38
74	5800	Fibre Teak	47
75	5801	Fibre Rust	47
76	5802	Fibre Gold	46
77	5904	Ash Mesh	10
78	5905	Choco Mesh	10
79	5906	Buff Mesh	10
80	5910	Bimba Grey	08
81	5911	Bimba Brown	08
82	6000	Classic Marble	26
83	6001	Grey Marble	26
84	6002	Royal Marble	26
85	6003	Sandstone Grey	28
86	6004	Sandstone Beige	28
87	6050	Moga Beige	30
88	6051	Moga bBlue	30
89	6052	Chevron Blue	30
90	6053	Chevron Grey	31
91	6054	Puttura Beige	31
92	6055	Puttura Blue	31